**BPASCH**GROUP

# MODERNRETAILING CONFERENCE

BUILDING A MODERN CUSTOMER EXPERIENCE



## **ChatGPT A.I.**Promise, Prompts & Perils in Automotive Marketing

## DISCLAIMER

OpenAI has recently released ChatGPT 4.5 Turbo, which is a significant upgrade to it's capabilities. Some of this information will be changing quickly as we learn more about it.

Follow the Wikimotive Blog for more

## Who is this workshop for?

The internal marketer who knows how to use ChatGPT and is looking to enhance their ability to use it for more of their marketing.

## **Show of Hands?**





## ChatGPT DEFINED




Chat Generative Pre-trained Transformer

#### **Chat GPT**

## Conversational "Artificial Intelligence".

More specifically, it's a chat-bot front end to a curated data model that allows for:

- (i) Easy follow-up questions
- (ii) Challenging of incorrect premises
- (iii) Rejection of (certain) requests deemed inappropriate







## ChatGPT is designed to:

- (i) Interact with a language model using a conversational prompt,
- (ii) Generate human-like responses, and
- (iii) Be reliant upon deep learning and human training.






## ChatGPT is available:

- (i) As a web application
- (ii) As a mobile App on Apple and Android
- (iii) As an API to be integrated in external products



## ChatGPT HOW IT WORKS

## How ChatGPT works...




In other words...




is a "pretty fancy word predictor".

## ChatGPT can understand...



## ChatGPT can understand...



## Mobile ChatGPT can understand...



## YOUR HUMAN VOICE

I am sure nothing can possibly go wrong here



## ChatGPT WHAT IS IT GOOD FOR?



# Less & Less ALL THE TIME ITTURNS OUT

#### ChatGPT is good at:

- (i) Things that do not require a high-degree of accuracy,
- (ii) Mundane tasks that benefit from text output but can be painful to perform, and
- (iii) Summarizing things with mostly correct (but mediocre) writing.



### ...and like a 10-year old with the internet


**ChatGPT** may need more clarification, conversational context, Or to be retold the same thing **several** times.



## Will ChatGPT replace...



## Will ChatGPT replace...






# ChatGPT WHAT ARE ITS LIMITATIONS?




is "mostly correct"...



...but getting worse all the time.




About 20% of what ChatGPT writes are lies\*



\* https://www.datanami.com/2023/01/17/hallucinations-plagiarism-and-chatgpt/ https://openai.com/product/gpt-4

A study conducted at Berkeley has shown that ChatGPT's accuracy on the SAME questions has shown a huge decline in the span of just a few months?

Why?



<sup>\*</sup> https://arxiv.org/pdf/2307.09009.pdf


#### We Don't Know...

...but the leading theory is


#### **Behavior Drift.**

It's believed that the models self-evolve over time, resulting in less accurate predictions / results over time.

Stay tuned towards the end for ways to combat this.



<sup>\*</sup> https://arxiv.org/pdf/2307.09009.pdf







### Biased



### Incomplete



\* https://www.datanami.com/2023/01/17/hallucinations-plagiarism-and-chatgpt/

### Memory of a Goldfish

ChatGPT has a limited ability to remember context about any conversation. The new 4.5 Turbo allows a much larger context of 128k words.





To create the number 339 using arithmetic operations and the numbers 75, 100, 9, 1, 2, and 3,  $\Box$   $\Box$ 

216 - 18 = 339

6. Subtract the result from step 5 from the result of step 3:



you can use the following equation:



(75 - 3)\*(2 + 1) - 9\*(1 + 1) = 339

Here's the step-by-step breakdown:

1. Subtract 3 from 75:

$$75 - 3 = 72$$

2. Add 2 and 1:

$$2+1=3$$

3. Multiply the results from steps 1 and 2:

4. Add 1 and 1:


$$1+1=2$$


5. Multiply 9 by the result from step 4:

6. Subtract the result from step 5 from the result of step 3:

So, using the numbers 75, 100, 9, 1, 2, and 3, we can create the number 339 with the equation

$$(75 - 3) * (2 + 1) - 9 * (1 + 1) = 339.$$






Content generated by



requires human review, fact-checking, & massaging.

## Al Writing can be detected (in most cases)


#### https://www.zerogpt.com/






# ChatGPT HOW TO IDENTIFY A.I. WRITING

## How to Identify Al Writing




### How to Identify Al Writing




/per plek sede/

How complex a text is, determined by its randomness.




### How to Identify Al Writing





A technique that embeds a digital watermark into digital media, such as images or videos, using artificial intelligence algorithms. This watermark is invisible to the naked eye but can be detected and extracted using specific software or algorithms.

#### How to Identify Al Writing




President Biden's new Al Security bill mandates an Al watermark on all generative tools.



ChatGPT
SO IT'S USELESS?



is "mostly correct".





## It can be useful.

Once upon a time...



helped a man to save his dog (and trumped a human veterinarian)


https://nypost.com/2023/03/27/chatgpt-saved-my-dogs-life-after-vet-couldnt-diagnosis-it/

## MENTAL STATES

## ChatGPT saved my dog's life after vets couldn't figure out diagnosis

By Brooke Steinberg

March 27, 2023 | 12:06pm | Updated





can pass a Medical Exam.

## PLOS DIGITAL HEALTH

RESEARCH ARTICLE

## Performance of ChatGPT on USMLE: Potential for Al-assisted medical education using large language models

Tiffany H. Kung, Morgan Cheatham, Arielle Medenilla, Czarina Sillos, Lorie De Leon, Camille Elepaño, Maria Madriaga, Rimel Aggabao, Giezel Diaz-Candido, James Maningo, Victor Tseng

Published: February 9, 2023 • https://doi.org/10.1371/journal.pdig.0000198

#### Abstract

Abstract

Author summary

Introduction

Methods

Results

Discussion

Supporting information

Acknowledgments

References

**Reader Comments** 

Figures

#### **Abstract**

We evaluated the performance of a large language model called ChatGPT on the United States Medical Licensing Exam (USMLE), which consists of three exams: Step 1, Step 2CK, and Step 3. ChatGPT performed at or near the passing threshold for all three exams without any specialized training or reinforcement. Additionally, ChatGPT demonstrated a high level of concordance and insight in its explanations. These results suggest that large language models may have the potential to assist with medical education, and potentially, clinical decision-making.

#### **Author summary**

Artificial intelligence (AI) systems hold great promise to improve medical care and health outcomes. As such, it is crucial to ensure that the development of clinical AI is guided by the principles of trust and explainability. Measuring AI medical knowledge in comparison to that of expert human clinicians is a critical first step in evaluating these qualities. To accomplish this, we evaluated the performance of ChatGPT, a language-based AI, on the United States Medical Licensing Exam (USMLE). The USMLE is a set of three standardized tests of expert-level knowledge, which are required for medical licensure in the United States. We found that ChatGPT performed at or near the passing threshold of 60% accuracy. Being the first to achieve this benchmark, this marks a notable milestone in AI maturation. Impressively, ChatGPT was able to achieve this result without specialized input from human trainers. Furthermore, ChatGPT displayed comprehensible reasoning and valid clinical insights, lending



ChatGPT
It's mostly about the Prompt





# More on the other ways to improve usefulness after...



# ChatGPT HOW TO WRITE A GOOD PROMPT

How to write a **good** prompt

(i) Define the role of ChatGPT



How to write a **good** prompt

(ii) Define your Goals & Audience



Pretend you are an expert copywriter. Generate text for an in-showroom display targeted at Ford Service Customers informing them about the "Pick up and Delivery" program.

How to write a **good** prompt

(iii) Tell it what to do (not what NOT to do)



Pretend you are an expert copywriter. Generate text for an in-showroom display targeted at Ford Service Customers informing them about the "Pick up and Delivery" program. Advise them to consult a service advisor to find out more.

#### How to write a **good** prompt

(iv) Define what format it should use



Pretend you are an expert copywriter. Generate text for an in-showroom display targeted at Ford Service Customers informing them about the "Pick up and Delivery" program. Advise them to consult a service advisor to find out more. Include a Headline, a Tagline, and Two separate short sentences about the ease and convenience of having your vehicle picked up or delivered for service.



Discover the ultimate convenience in vehicle maintenance.

Enjoy the hassle-free luxury of having your vehicle picked up from your doorstep for service, sparing you from any inconveniences. Experience seamless convenience as we deliver your serviced vehicle back to you, allowing you to get back on the road with ease. For detailed information and personalized assistance, consult a friendly Ford Service Advisor today!



#### How to write a **good** prompt

Finally, use conversation to get the answers you want.

"Rewrite those two sentences but add..."

"Use English only in your response instead."


"Generate two coupons based on the above information."

"Rewrite that, but much shorter."

How to write a **good** prompt

Finally, use conversation to get the answers you want.

You can use the 'Thumbs Down' button to have it generate another response.



#### How to write a **good** prompt

#### Other tips for a good prompt

Avoid using negatives - tell it what to do, not what to do.

Use longer prompts, or chain prompts together.

Specify response length.

Edit responses instead of starting over.

Experiment with putting emphasis on certain words with double quotes.



# ChatGPT WHAT CAN IT DO FOR CAR DEALERS?

#### What can it do for Car Dealers?


Tasks that don't reflect on your domain authority.

- (i) Generate GBP Questions & Answers
- (ii) Create provider-specific initial response emails for your CRM
- (iii) Create GBP posts for your coupons or specials
- (iv) Understand the search intent of keywords
- (v) Create code snippets for Google Analytics, Sheets, Excel, or Looker Studio
- (vi) Understand vendor code on your website
- (vii) Generate hashtags TikTok / Instagram / Twitter
- (viii) Generate training documents or meeting outlines.
- (ix) Generate ad words titles & descriptions
- (x) Generate buyer personas for marketing campaigns
- (xi) Ideate marketing campaigns / sales promotion copy.

#### What can it do for Car Dealers?

Interpret images and provide alt text.






Please provide an SEO optimized alt text for the image attached



"Vintage red muscle car parked on a country road with clear blue sky in the background."

#### What can it do for Car Dealers?

#### Plan a sales meeting agenda






# ChatGPT WHAT CAN'T IT DO FOR CAR DEALERS?

#### Interpret Search Console Data

I did an experiment.

Using the Data Analysis Tool

Can it interpret Google Search Console data over two time periods, and provide insights?




#### Interpret Search Console Data

The Result:

### FAILED!

ChatGPT invented pages that were similar to other pages, and attributed metrics from other pages.

The data analysis was unreliable.



Write a reliable SEO page that requires less time than a human writer

Our pages require a significant Amount of effort & expertise to differentiate.

Nothing undermines (both) customer and search engine trust like incorrect information!

ChatGPT has too high a risk of hallucination.

#### Advanced Technology

The 2055 Ford F-150 sets the benchmark for automotive technology:


- Autonomous Driving: Level 5 autonomous driving technology ensures hands-free and worry-free commuting. Our advanced AI system learns your driving habits and preferences, enhancing your driving experience every time you set off.
- Innovative Infotainment: Experience the immersive 15.5" touchscreen infotainment system featuring real-time navigation, vehicle diagnostics, entertainment, and more. Our Al-assistant offers personalized assistance, from adjusting your route to setting up your favorite playlist.
- Augmented Reality Head-Up Display (AR HUD): The windshield doubles as a HUD, overlaying navigation data, vehicle status, and real-time updates directly onto the glass.
- Wireless Connectivity: Enjoy seamless over-the-air updates, cloud-synced profiles, and 5G Wi-Fi connectivity.

#### Create Images for Compliant Web pages

While we can likely use the DALLE-3 component of ChatGPT to create "stock" images...

We have enough problems using OEM images on OEM pages to get co-op.

ChatGPT doesn't have the extensive vehicle training library it needs in order to generate images everywhere, with a high degree or accuracy.



- (i) Anything that requires a high degree of accuracy, or technical authority (ex. YMYL)
- (ii) Be trusted to render the same results over time, even with the same prompt.
- (iii) Analyze data and return results that are dependable.



### Our Advice

Stick to creative tasks, brainstorming, or tasks you have time to edit personally.

## But what about the A.I. tools we pay for?

Trust...but VERIFY.

Go through your Chat tools, Scheduling tools, etc. and ensure you are receiving the responses you **expect!** 

(Some of them aren't really "A.I." anyway...)



## ChatGPT PROMPTS THAT PRODUCED

A GOOD RESULT

#### Example #1

#### **Good** Result

### Generate GBP Questions & Answers

#### **The Prompt**

Your task is to help me create and write 10 questions and answers for a Google Business Profile for the following auto dealership in the prompt in English.

The question should be written in casual, conversational and cover basic questions customers would ask written in English.

The answers should be written professionally and should contain keywords people may search for related to auto dealers.

Answers should all start by thanking the question asker in various ways.

Organize everything in a markdown table.

The business name is Freeport Hyundai

#### **The Results**

Question	Answer
What are the business hours for Freeport Hyundai?	Thank you for asking! Our business hours are [insert hours here]. We are open [insert days here] for your convenience.
What types of vehicles do you sell at Freeport Hyundai?	Thank you for your interest in our dealership! We sell a wide variety of vehicles, including sedans, SUVs, crossovers, and hybrids. You can check out our inventory online or visit our dealership to see our selection in person.
Do you offer financing options at Freeport Hyundai?	Thank you for considering us for your auto financing needs! Yes, we do offer financing options for both new and used vehicles. We work with a variety of lenders to help you find the best financing options for your budget.
Can I schedule a service appointment at Freeport Hyundai online?	Thank you for reaching out! Yes, you can schedule a service appointment online through our website. We offer a range of maintenance and repair services, including oil changes, tire rotations, and brake repairs.
Does Freeport Hyundai offer a warranty on their vehicles?	Thank you for asking! Yes, we offer a warranty on both new and used vehicles. The specifics of the warranty will depend on the vehicle you purchase and its age and mileage. Our team can provide you with more information when you visit our dealership.
What is the process for trading in my current vehicle at Freeport Hyundai?	Thank you for considering a trade-in at our dealership! We offer a hassle-free trade-in process that involves assessing the value of your current vehicle and applying it towards the purchase of a new or used vehicle from our inventory. Our team will walk you through the process step-by-step.
Can I test drive a vehicle before purchasing it at	Thank you for your interest in test driving one of our vehicles! Yes, we encourage all of our customers to take a test drive before making a

#### Example #2

#### **Good** Result

### Create (provider-specific) initial responses for your CRM

#### **The Prompt**

Pretend you are an expert at business to consumer email marketing.

Pretend you work in a car dealership in the business development center.


Create a first reply email thanking the customer for the opportunity to earn their business for each lead provider noted.

Thank them for their interest in the vehicle which they have submitted.

Use the placeholders "MAKE" for Vehicle Make, "MODEL" for Vehicle Model, and "YEAR" for Vehicle Year. Ascertain the customers best time for contact, and what method of contact they prefer.

Create Unique emails in english for the following lead sources: Truecar, Cars.com, Autotrader, Costco

#### The Results



#### Example #3

#### **Good** Result

#### Generate hashtags

#### **The Prompt**

Create 20 Tiktok trending hashtags Targeting an LSI Keyword with some search volume for the following topic: Electric Vehicles

No tags, separate keywords by space.

Use Only lowercase proper nouns.

Write in English

#### **The Results**



- 1. #EVlife
- 2. #ElectricCarCommunity
- 3. #EVCharging
- 4. #GreenDriving
- 5. #EVrevolution
- 6. #EcoFriendlyCars
- 7. #EVchargingstations
- 8. #ElectricVehicleLove
- 9. #EVenthusiast
- 10. #CleanEnergyCars
- 11. #EVgoals
- 12. #FutureOfTransportation
- 13. #EVadventures
- 14. #SustainableDriving
- 15. #EVride
- 16. #ElectricVehicleSociety
- 17. #EVworld
- 18. #RenewableEnergyCars
- 19. #EVentertainment
- 20. #ElectrifyEverything

Regenerate response







#### Example #4

jdpa2.type = 'text/javascript';

if (llpath.indexOf('https://') == 0) {

jdpa2.async = true;

#### **Good** Result

#### Interpret Javascript

```
function LLStats() {
                                                                                                                                                                                                                                       'https://a01.korrelate.net/a/e/d2a.ads?et=a&ago=336&ao=337&px=242&r=' + (new
     (function() {
                                                                                                                                                                                                                                       Date()).getTime() + '&lvl=' + LotLinxID + '&av1=' + Ilterms[0].toLowerCase() + '&av2=' + Ilterms[0].toLowerCase() + '&av
                                                                                                                                                                                                                                       llterms[0].toLowerCase() + ':' + llterms[1].toLowerCase();
           var LLJsId;
            var LLJsLd
                                                                                                                                                                                                                                                                     jdpa2.src =
           var params = "LLDID=" + LotLinxID;
                                                                                                                                                                                                                                        'http://a02.korrelate.net/a/e/d2a.ads?et=a&ago=336&ao=337&px=242&r=' + (new
           params += "&Page=" +
                                                                                                                                                                                                                                       Date()).getTime() + \frac{1}{2} v^2 + LotLinxID + \frac{1}{2} v^2 + llterms[0].toLowerCase() + llterms[0].toLowerCase() + llterms[0].toLowerCase() + llterms[0].toLowe
   params += "&Domain=" + document.domain;
                                                                                                                                                                                                                                                                  var s2 = document.getElementsByTagName('script')[0];
            params += "&Cook=" + navigator.cookieEnabled;
                                                                                                                                                                                                                                                                  s2.parentNode.insertBefore(jdpa2, s2);
            var url = document.URL.replace(/&/g, "LLANDLL");
           params += "&URL=" + url;
           var ref = ";
          try {
                ref = escape(parent == self ? window.document.referrer
parent.document.referrer):
         } catch (e) {
                                                                                                                                                                                                                                           var params = "LLUID=" + LLJsId;
                                                                                                                                                                                                                                           params += "&LLLD=" + LLJsLd:
                ref = escape(window.document.referrer);
                                                                                                                                                                                                                                           params += "&r=" + Math.random();
            params += "&Ref=" + ref.replace(/&/g, "LLANDLL");
                                                                                                                                                                                                                                           pinglmg.src = LLProto + 'VV/statscloud.lotlinx.com/stats/tos.jsp?' + params;
            params += "&r=" + Math.random();
            var ga = document.createElement('script');
                                                                                                                                                                                                                                          var d = new Date().getTime();
                                                                                                                                                                                                                                           var r = (d + Math.random() * 16) % 16 | 0;
                                                                                                                                                                                                                                              d = Math.floor(d / 16);
           ga.src = ('https:' == document.location.protocol ? 'https://' : 'http://') +
                                                                                                                                                                                                                                               return (c == 'x' ? r: (r & 0x3 | 0x8)).toString(16);
     statscloud.lotlinx.com/stats/index.jsp?' + params;
            var s = document.getElementsByTagName('script')[0];
           s.parentNode.insertBefore(ga, s);
                                                                                                                                                                                                                                       ;function LL_getcookie(name)
            var | lpath = window.location.href;
                                                                                                                                                                                                                                           var nameE0 = name + "=":
                LotLinxID = LotLinxID.toString();
                                                                                                                                                                                                                                           for (var i = 0: i < ca.length: i++) {
                if (llpath.indexOf('utm_source=lotlinx') > 0) {
                                                                                                                                                                                                                                                 while (c.charAt(0) == ' ')
                    LL_setcookie("LLVisit", "1", 30);
                                                                                                                                                                                                                                                   c = c.substring(1, c.length)
                    if ((LotLinxID.toLowerCase().indexOf("lin") === 0) || ((isInt(LotLinxID)) &&
                                                                                                                                                                                                                                               if (c.indexOf(nameEQ) == 0)
     (LL_contains(LinDealerIds, parseInt(LotLinxID))))) {
                                                                                                                                                                                                                                                    return c.substring(nameEQ.length, c.length);
                            var Ilindex = Ilpath.indexOf("utm_term=");
                                                                                                                                                                                                                                           return null;
                            if (llindex > 0) {
                                 var <u>llterm</u> = <u>llpath.substring</u>(<u>llindex</u> + "utm_term=".length);
                                                                                                                                                                                                                                       function LL_setcookie(name, value)
                                 var llterms = llterm.split('l');
                                                                                                                                                                                                                                           var expiry = new Date();
                                                                                                                                                                                                                                           expiry.setDate(expiry.getDate() + 365);
                                 if (llterms.length >= 2) {
                                                                                                                                                                                                                                           document.cookie = (name + "=" + value + "; expires=" + expiry.toGMTString() + "
                                      var jdpa2 = document.createElement('script');
                                      jdpa2.type = 'text/javascript';
                                      idpa2.asvnc = true:
                                                                                                                                                                                                                                       function LL_setcookie(name, value, expiryDays)
                                     if (llpath.indexOf('https://') == 0) {
                                                                                                                                                                                                                                           expiry.setDate(expiry.getDate() + expiryDays);
                                                                                                                                                                                                                                           document.cookie = (name + "=" + value + "; expires=" + expiry.toGMTString() + "
       'https://a01.korrelate.net/a/e/d2a.ads?et=a&gr=1&ago=336&ao=337&px=290&r='+
      (new Date()).getTime() + '&lvI=' + LotLinxID + '&av1=' + Ilterms[0].toLowerCase() +
      '&av2=' + Ilterms[0].toLowerCase() + ':' + Ilterms[1].toLowerCase();
                                                                                                                                                                                                                                        function LL_contains(a, obj) {
                                                                                                                                                                                                                                           for (var i = 0; i < a.length; i++) {
                                                                                                                                                                                                                                              if (a[i] === obj) {
                                                                                                                                                                                                                                                    return true;
      "http://a02.korrelate.net/a/e/d2a.ads?et=a\&gr=1\&ago=336\&ao=337\&px=290\&r="+" (new the context of the context o
     Date()).getTime() + '&lvl=' + LotLinxID + '&av1=' + Ilterms[0].toLowerCase() + '&av2=' +
     Ilterms[0].toLowerCase() + ':' + Ilterms[1].toLowerCase();
                                                                                                                                                                                                                                           return false;
                                                                                                                                                                                                                                       function isInt(value)
                                      var s2 = document.getElementsByTagName('script')[0];
                                                                                                                                                                                                                                           return !isNaN(value) && parseInt(Number(value)) == value && !isNaN(parseInt(value)
                                     s2.parentNode.insertBefore(jdpa2, s2);
                                                                                                                                                                                                                                       var LLDealerIds = [48404, 48476, 48490, 48546, 48755, . 81390];
                                                                                                                                                                                                                                        var LinDealerlds = [83969, 83971, 83803, 83805, 83277, 80875, 77844, 83810, 83811,
                     } else if ((isInt(LotLinxID)) && (LL_contains(LLDealerIds, parseInt(LotLinxID)))) {
                                                                                                                                                                                                                                       81588, 83813, 83814, 83815, 83816, 83817, 83819, 83821, 83822, 83825, 83828, 83830,
                            var <u>llindex</u> = llpath.indexOf("utm_term=");
                                                                                                                                                                                                                                       83833, 83834, 83836, 83837, 83839, 83840, 83843, 83846, 82043, 83848, 83849, 83851,
                            if (llindex > 0) {
                                                                                                                                                                                                                                       83853, 83854, 83855, 83857, 83860, 77845, 83862, 83864, 82014, 83866, 83867, 83871,
                                                                                                                                                                                                                                       83872, 83876, 83878, 83879, 83880, 83881, 83882, 83959, 83972, 83883, 83887, 83888,
                                 var <u>llterm</u> = <u>llpath.substring</u>(<u>llindex</u> + "utm_term=".length);
                                                                                                                                                                                                                                       83889, 83890, 83891, 83893, 83895, 83897, 83898, 83900, 83901, 83902, 83905, 83907,
                                 var <u>llterms</u> = <u>llterm.split('|');</u>
                                 if (Ilterms.length >= 2) {
                                      var jdpa2 = document.createElement('script');
```

#### **The Prompt**

Please pretend you are an expert in Javascript. Can you provide me with a description of what this Javascript does?

#### The Results



The JavaScript code is used for tracking and reporting statistics related to LotLinx. The code  $\Box$   $\Box$   $\Box$   $\Box$  Includes three functions: LLStats, LLPing, and generateUUID.

The LLStats function includes several variables and parameters that are used to track various data related to LotLinx, including the LotLinx ID, page location, domain, cookie information, URL, and referrer. It also creates a script element that is used to send the data to the LotLinx server for analysis and reporting. The function also includes conditional statements that check the LotLinx ID and, if it meets certain criteria, creates another script element that is used to track additional data related to the user's behavior.

The LLPing function creates a new image object and sends a ping to the LotLinx server, providing it with the unique ID of the user and the timestamp of the ping.

The generateUUID function generates a unique identifier that is used to track the user's activity on the website.

Overall, the JavaScript code is used to collect and report data related to LotLinx user activity, which can be used to optimize advertising campaigns and improve user experience.




WHAT SHOULD DEALERS DO TO GET THE MOST OUT OF IT?


# Sign up for ChatGPT+

# Change and Update your Prompts.


Set up Custom Instructions.




# Set up Custom Instructions.



### Set up Custom Instructions.



#### Enable Beta Tools



These will allow cool things like image generation, etc. in the future.


They are very much in beta, and the web browsing, data analysis and most plugins work unreliably, but show promise.

#### Choose the Correct Model

	<b>\$</b>		
Name	GPT-3.5	GPT-4	GPT-4 Turbo
Creator/Owner	OpenAl	OpenAl	OpenAl
Trained On Data Up Until	September 2021	September 2021	April 2023
Accessible To	All ChatGPT users	ChatGPT Plus users	Paying developers (preview)
Prompt Inputs	Text	Text Images	Text Images (stable release) Text-to-Speech
Context Window	16,385 tokens (GPT-3.5 turbo-1106) 4,096 tokens (GPT-3.5 turbo)	8,192 tokens (GPT-4) 32,000 tokens (GPT-4- 32K)	128,000 tokens

#### Use and Create Custom GPTs

#### My GPTs




#### Use Other Tools



Microsoft Bing Chat, Powered by GPT-4

#### Use Other Tools



Perplexity AI - Conversational and can ask more technical questions from Wolfram Alpha

#### Use Other Tools



#### Use Other Tools

#### Jasper Everywhere



#### Integrations

Level up your marketing using Jasper's integrations to create on-brand Al-assisted content in the tools you use the most.



#### Jasper API

Bring the power of generative AI directly into your own platform with our API.



#### **Browser Extension**

Add the Chrome extension to bring your Al assistant everywhere you work.



#### **Business Features**

Explore how companies who need a secure, scalable, and customizable Al platform to meets technical needs and align the organization around your brand voice.



#### Language Translation

Easily create and repurpose content in over 30 languages.

#### Jasper App



#### Campaigns

Seamlessly create end to end marketing campaigns with one brief.



#### Brand Voice & Knowledge

Teach Al about your company facts, product catalogs, audiences, and style guide so your message is always on-brand.



#### Template Library

Al trained in over 50 specific skills from writing high-converting headlines to SEO optimized blog posts in just a few clicks.



#### Art

Use AI to generate amazing art and images in seconds for ads, thumbnails, illustrations, and more.




#### Chat

Have a human-like conversation with a chatbot to assist you with tasks, do research quickly, and answer questions.

Jasper.ai

#### Use Other Tools



WriteSonic by Chatsonic



# ChatGPT WHAT IT MEANS TO SEO (& WHY IT MAY NOT BE THE "END ALL, BE ALL"

#### What it means to **SEO**

#### (i) YMYL Concerns

Type of Topic	Clear YMYL Topic	May be YMYL Topic	Not or Unlikely YMYL Topic
Online commerce and product reviews  Consider the product. Could the product cause significant harm?	Purchasing prescription drugs  Explanation: Prescription drugs have the potential to cause harm and require purchase from licensed pharmacies.	Explanation: While cars are big purchases, many people ask friends and family about cars.	Explanation: Pencils and other everyday items are unlikely to cause harm.

#### What it means to **SEO**

#### (ii) Future Penalties – What they said

Search Engine Land » SEO » Google search responds to BankRate, more brands using AI to write content

# Google search responds to BankRate, more brands using AI to write content

In short, don't produce content that is written just for search ranking.

Barry Schwartz on January 12, 2023 at 9:57 am | Reading time: 4 minutes



Artificial intelligence (AI) has been a scorching hot topic lately, especially since the launch of ChatGPT Nov. 30. Microsoft Bing has plans to add ChatGPT to search. Some have questioned whether it's a Google killer.

Now we're seeing more examples of brands using Al-generated content. Bankrate is the latest example. It is having some of its content written by machines but reviewed by human editors.

It's a bold strategy (let's see if it pays off for them). And the SEO community wanted to know Google's policies around these efforts.

FAQs. Google also published this new list of FAQs on the topic of Al-generated content and search:

Is AI content against Google Search's guidelines? Appropriate use of AI or automation is not
against our guidelines. This means that it is not used to generate content primarily to manipulate
search rankings, which is <u>against our spam policies</u>.

#### What it means to **SEO**

#### (ii) Future Penalties - What They Did

## Google Search's helpful content system and your website

Send feedback

Google Search's *helpful content system* generates a signal used by our <u>automated ranking systems</u> to better ensure people see original, helpful content created for people in search results. This page explains more about how the system works, and what you can do to assess and improve your content.

#### How the helpful content system works

The helpful content system aims to better reward content where visitors feel they've had a satisfying experience, while content that doesn't meet a visitor's expectations won't perform as well.


The system generates a site-wide signal that we consider among many other signals for use in Google Search (which includes Discover). The system automatically identifies content that seems to have little value, low-added value or is otherwise not particularly helpful to people.

Any content—not just unhelpful content—on sites determined to have relatively high amounts of unhelpful content overall is less likely to perform well in Search, assuming there is other content elsewhere from the web that's better to display. For this reason, removing unhelpful content could help the rankings of your other content.

This classifier process is entirely automated, using a machine-learning model. It works globally across all languages. It is not a manual action nor a spam action. Instead, it's just one of many signals Google evaluates to rank content.

#### What it means to **SEO**

#### (ii) Future Penalties



This was not an insignificant number of clicks & impressions. (I would add the scale, but it makes my physically ill)




# ChatGPT WHAT CAN YOU DO TO COMBAT UNRELIABILITY?

#### What can you do to combat unreliability?

#### **Use Different Models**



Bard by Google Al Microsoft Bing Perplexity Al Jasper.ai ChatSonic Claude 2



**Keep Your Prompts Updated** 

## **Check Vendors & Inspect Results**



Use as a Creative tool (not a Technical one)

#### **Human Review**






# ChatGPT WHAT DOES ITS FUTURE LOOK LIKE?

#### What does its **future** look like?


#### The model will likely continue to degrade.



#### What does its **future** look like?


#### **Custom GPTS**

#### My GPTs




#### What does its **future** look like?


#### Internal / External Plugins will improve.




#### What does its **future** look like?

#### **Product Integrations**









#### What does its **future** look like?

## learnprompting.org



#### What does its **future** look like?

### wikimotive.com





What is an Al Language Model & How Does it Work?



What Are the Pros and Cons of an Al Language Model?



How Can I Use AI to Help My SEO Strategy?



Three Ways to Make Your Data More Actionable With Al



Can Al Replace My SEO Provider?

#### Angus Fox Lead Automotive Analyst



in Linkedin.com/in/angus-fox-15461221a/

413.210.8110



# Dan Barker CEO



in Linkedin.com/in/daniel-r-barker/

603.903.3086



## THANK YOU!



# ChatGPF A.I.

Promise, Prompts & Perils in Automotive Marketing